
THE TIMES - JANUARY 12TH 2005

Mobile phones tumour risk to young children



An acoustic tumour, in red, on a scan looking down on the head at ear-level. The brain is at the top, the facial bones at the bottom

By Sam Coates, Nigel Hawkes and Alexandra Blair

CHILDREN under the age of eight should not use mobile phones, parents were advised last night after an authoritative report linked heavy use to ear and brain tumours and concluded that the risks had been understimated by most scientists.

Professor Sir William Stewart, chairman of the National RadioJogical Protection Board (NRPB), said that evidence of potentially harmful effects had become more persuasive over the past five years.

The news prompted calls for phones to carry health warn-ings and panic in parts of the industry. One British manufac-turer immediately suspended a model aimed at four to eightyear-olds.

The number of mobiles in Britain has doubled to 50 million since the first governmentsponsored report in 2000. The number of children aged between five and nine using

mobiles has increased fivefold

in the same period.

In his report, Mobile Phones and Health, Sir William said that four studies have caused concern. One ten-year study in Sweden suggests that heavy mobile users are more prone to non-malignant tumours in the ear and brain while a Dutch study had suggested changes in cognitive function. A German study has hinted at an increase in cancer around base stations, while a project supported by the EU had shown evidence of cell damage from fields typical of those of mobile phones.
"All of these studies have yet

to be replicated and are of varying quality but we can't disvarying quality but we can't dis-miss them out of hand," Sir William said. If there was a health risk — which remained unproven — it would have a greater effect on the young than on older people, he added.

For children aged between 8 and 14, parents had to make their own judgments about the risks and benefits. "I can't believe that for three to eight

HEALTH RISK



- Acoustic neuromas are benign tumours of the acoustic nerve
- A study in Sweden has shown that they are twice as common in mobile phone users
- They were also four times as common on the side of the head where the phone was held
- Acoustic neuromas occur in 100,000 people a year and can cause deafness
- They can be treated by surgery. In most cases the patient's hearing is saved
- Brain tumours affect about 4,700 new patients a year in Britain
- They are becoming more common the UK Brain Tumour Society says that incidence has increased by 45 per cent in 30 years
- The causes of primary brain tumours are unknown, so it is hard to identify specific risk factors

year-olds they can be readily justified," he said. David Hart, general secre-tary of the National Association of Headteachers, called last night for a ban on mobiles

in schools. Mobile phone companies reacted furiously, saying that the report fanned public concern without presenting new research. The youth market is Continued on page 4, col 1

Letters, page 16 Thunderer, page 18